

REPORT OF ANALYSIS No. 399165/20/POZ

Client YORK PL SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ SP.K. UL. POZNAŃSKA 1 62-005 BOLECHOWO, OWIŃSKA		Sample description <i>(according to declaration of Client)</i> PP 5% - 6 pieces of test sample and 12 pieces of control sample (without p/bacterial properties) Lot: 1 Date of manufacture: 07-08-2020 Best before date: 07-08-2021
Sample received:	2020-08-17	Sample without any visible damages Order of 2020-08-13 The samples were delivered by Client
Analysis completed (the date of performance of the laboratory activity):	2020-09-25	
Report dated:	2020-09-25	

Test	Method	Unit	Result
Measurement of antibacterial activity on plastics and other non-porous surfaces ¹⁾	ISO 22196:2011		The sample shows antibacterial activity against the used reference strains.

¹⁾ The results of the analysis in attachment No 1 to the report of analysis.

THE END OF THE REPORT

Authorized by: Agnieszka Erber, Cosmetics Microbiology Laboratory Manager
 Approved by: Hanna Wachowska, Laboratory Director *(Approved with electronic signature)*

Laboratory: Tychy 43-100, Goździków 1

The results relate to the analysed samples only. Unless otherwise specified given expanded measurement uncertainty was estimated for the coverage factor k=2 at 95% confidence level. Sampling uncertainty has not been taken into consideration. Unless otherwise specified when conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

* Test method accredited; # Test performed by external provider

Page 1 / 1

Form PO-10/02b of 20.01.2020

J.S. HAMILTON POLAND Sp. z o.o.
TESTING LABORATORY

ul. Chwaszczyńska 180, 81-571 Gdynia, Poland, tel. +48 58 766 99 00

